

Cordons LANmark-OF

- Disponibles en versions Multimodes OM1, OM2 & OM3 et en version Monomode OS1
- Disponibles avec connecteurs SC, ST, LC & MT-RJ
- Longueurs standards : 2 et 5 m
- Gaine LSZH
- Performances optimisées des liaisons LANmark
- Longueurs non standards disponibles sur demande

Description


Applications

Les cordons LANmark-OF sont conçus pour des demandes en caractéristiques optiques élevées.

- Utilisés dans le local technique pour le brassage des équipements actifs et des rocades.
- Utilisés dans l'espace de travail pour le raccordement des équipements actifs (Fibre To The Desk).

Applications supportées :

- Fast Ethernet 100 base FX
- 1Gbase SX
- 1Gbase LX
- 10Gbase SR
- 10Gbase LW
- 10Gbase LX4
- 10Gbase LR
- 10Gbase LRM
- Fibre Channel Serial 1G
- Fibre Channel Serial 2G
- Fibre Channel Serial 4G
- Fibre Channel Serial 10G



LANmark-OF

Normes

Internationales ISO/IEC 11801

Performances

Les cordons LANmark-OF sont disponibles dans toutes les classes optiques normalisées, multimode OM1, OM2 & OM3, et monomode OS1.

Garanties

Les cordons LANmark-OF supportent les applications basés sur les sources DEL et LASER.



Température ambiante d'utilisation, plage
-10 .. 50 °C



Non propagateur de l'incendie
IEC 60332-3 Cat.C



Rayon courbure min. utilisation statique
40,0 mm

Cordons LANmark-OF

Caractéristiques

Caractéristiques de construction	
Armure	Aramid yarn
Gaine extérieure	LSZH-FR
Caractéristiques mécaniques	
Traction maximale lors de l'installation	0,2 kN
Résistance à l'écrasement (IEC 794-1-E3)	250 N/cm
Caractéristiques d'utilisation	
Température ambiante d'utilisation, plage	-10 .. 50 °C
Non propagateur de l'incendie	IEC 60332-3 Cat.C
Rayon de courbure minimum en utilisation statique	40,0 mm

Liste des articles

☎ = Sur fabrication, 📦 = Sur stock

Code article Nexans	Désignation de l'article	Longueur (m)	Type de fibres optiques	type connecteur
☎ N123.2LLO2	LANmark-OF Patch cord Multimode 50/125 2LC - 2LC LSZH Orange 2m	2	OM2 50/125 Extended Distance	LC
☎ N123.2LLO5	LANmark-OF Patch cord Multimode 50/125 2LC - 2LC LSZH Orange 5m	5	OM2 50/125 Extended Distance	LC
☎ N123.2CLO2	LANmark-OF Patch cord Multimode 50/125 2LC - 2SC LSZH Orange 2m	2	OM2 50/125 Extended Distance	SC
☎ N123.2CLO5	LANmark-OF Patch cord Multimode 50/125 2LC - 2SC LSZH Orange 5m	5	OM2 50/125 Extended Distance	SC
☎ N123.2LTO2	LANmark-OF Patch cord Multimode 50/125 2LC - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	LC
☎ N123.2LTO5	LANmark-OF Patch cord Multimode 50/125 2LC - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	LC
📦 N123.2CCO2	LANmark-OF Patch cord Multimode 50/125 2SC - 2SC LSZH Orange 2m	2	OM2 50/125 Extended Distance	SC
📦 N123.2CCO5	LANmark-OF Patch cord Multimode 50/125 2SC - 2SC LSZH Orange 5m	5	OM2 50/125 Extended Distance	SC
📦 N123.2CTO2	LANmark-OF Patch cord Multimode 50/125 2SC - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	SC
☎ N123.2CTO5	LANmark-OF Patch cord Multimode 50/125 2SC - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	SC
☎ N123.2TTO2	LANmark-OF Patch cord Multimode 50/125 2ST - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	ST
☎ N123.2TTO5	LANmark-OF Patch cord Multimode 50/125 2ST - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	ST
☎ N123.2MLO2	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2LC LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MLO5	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2LC LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MCO2	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2SC LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MCO5	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2SC LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MTO2	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2ST LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ


























☎ = Sur fabrication, 📦 = Sur stock


Cordons LANmark-OF

Code article Nexans	Désignation de l'article	Longueur (m)	Type de fibres optiques	type connecteur
☎ N123.2MTO5	LANmark-OF Patch cord Multimode 50/125 MT-RJ - 2ST LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MMO2	LANmark-OF Patch cord Multimode 50/125 MT-RJ - MT-RJ LSZH Orange 2m	2	OM2 50/125 Extended Distance	MT-RJ
☎ N123.2MMO5	LANmark-OF Patch cord Multimode 50/125 MT-RJ - MT-RJ LSZH Orange 5m	5	OM2 50/125 Extended Distance	MT-RJ
☎ N123.5LLO2	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2LC LSZH Orange 2m	2	OM3 50/125 extended distance	LC
☎ N123.5LLO5	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2LC LSZH Orange 5m	5	OM3 50/125 extended distance	LC
☎ N123.5CLO2	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2SC LSZH Orange 2m	2	OM3 50/125 extended distance	SC
☎ N123.5CLO5	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2SC LSZH Orange 5m	5	OM3 50/125 extended distance	SC
☎ N123.5LTO2	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	LC
☎ N123.5LTO5	LANmark-OF Patch cord Multimode 50/125 OM3 2LC - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	LC
☎ N123.5CCO2	LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2SC LSZH Orange 2m	2	OM3 50/125 extended distance	SC
☎ N123.5CCO5	LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2SC LSZH Orange 5m	5	OM3 50/125 extended distance	SC
☎ N123.5CTO2	LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	SC
☎ N123.5CTO5	LANmark-OF Patch cord Multimode 50/125 OM3 2SC - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	SC
☎ N123.5TTO2	LANmark-OF Patch cord Multimode 50/125 OM3 2ST - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	ST
☎ N123.5TTO5	LANmark-OF Patch cord Multimode 50/125 OM3 2ST - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	ST
☎ N123.5MLO2	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2LC LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
☎ N123.5MLO5	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2LC LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
☎ N123.5MCO2	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2SC LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
☎ N123.5MCO5	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2SC LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
☎ N123.5MTO2	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2ST LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
☎ N123.5MTO5	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - 2ST LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
☎ N123.5MMO2	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - MT-RJ LSZH Orange 2m	2	OM3 50/125 extended distance	MT-RJ
☎ N123.5MMO5	LANmark-OF Patch cord Multimode 50/125 OM3 MT-RJ - MT-RJ LSZH Orange 5m	5	OM3 50/125 extended distance	MT-RJ
☎ N123.0LLO2	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2LC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	LC
☎ N123.0LLO5	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2LC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	LC

☎ = Sur fabrication, 📦 = Sur stock

Cordons LANmark-OF

Code article Nexans	Désignation de l'article	Longueur (m)	Type de fibres optiques	type connecteur
 N123.0CLO2	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC
 N123.0CLO5	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.0LTO2	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	LC
 N123.0LTO5	LANmark-OF Patch cord Multimode 62,5/125 2LC - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	LC
 N123.0CCO2	LANmark-OF Patch cord Multimode 62,5/125 2SC - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC
 N123.0CCO5	LANmark-OF Patch cord Multimode 62,5/125 2SC - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.0CTO2	LANmark-OF Patch cord Multimode 62,5/125 2SC - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	SC
 N123.0CTO5	LANmark-OF Patch cord Multimode 62,5/125 2SC - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.0TTO2	LANmark-OF Patch cord Multimode 62,5/125 2ST - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	ST
 N123.0TTO5	LANmark-OF Patch cord Multimode 62,5/125 2ST - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	ST
 N123.0MLO2	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2LC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MLO5	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2LC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MCO2	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2SC LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MCO5	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2SC LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MTO2	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2ST LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MTO5	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - 2ST LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MMO2	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - MT-RJ LSZH Orange 2m	2	OM1 62.5/125 Extended Distance	MT-RJ
 N123.0MMO5	LANmark-OF Patch cord Multimode 62,5/125 MT-RJ - MT-RJ LSZH Orange 5m	5	OM1 62.5/125 Extended Distance	MT-RJ
 N123.4LLY2	LANmark-OF Patch cord Singlemode 2LC - 2LC LSZH Yellow 2m	2	OS1	LC
 N123.4LLY5	LANmark-OF Patch cord Singlemode 2LC - 2LC LSZH Yellow 5m	5	OS1	LC
 N123.4CLY2	LANmark-OF Patch cord Singlemode 2LC - 2SC LSZH Yellow 2m	2	OS1	SC
 N123.4CLY5	LANmark-OF Patch cord Singlemode 2LC - 2SC LSZH Yellow 5m	5	OM1 62.5/125 Extended Distance	SC
 N123.4LTY2	LANmark-OF Patch cord Singlemode 2LC - 2ST LSZH Yellow 2m	2	OS1	LC
 N123.4LTY5	LANmark-OF Patch cord Singlemode 2LC - 2ST LSZH Yellow 5m	5	OS1	LC
 N123.4CCY2	LANmark-OF Patch cord Singlemode 2SC - 2SC LSZH Yellow 2m	2	OS1	SC

 = Sur fabrication,  = Sur stock

Cordons LANmark-OF

Code article Nexans	Désignation de l'article	Longueur (m)	Type de fibres optiques	type connecteur
☎ N123.4CCY5	LANmark-OF Patch cord Singlemode 2SC - 2SC LSZH Yellow 5m	5	OM1 62.5/125 Extended Distance	SC
☎ N123.4CTY2	LANmark-OF Patch cord Singlemode 2SC - 2ST LSZH Yellow 2m	2	OS1	SC
☎ N123.4CTY5	LANmark-OF Patch cord Singlemode 2SC - 2ST LSZH Yellow 5m	5	OM1 62.5/125 Extended Distance	SC
☎ N123.4TTY2	LANmark-OF Patch cord Singlemode 2ST - 2ST LSZH Yellow 2m	2	OS1	ST
☎ N123.4TTY5	LANmark-OF Patch cord Singlemode 2ST - 2ST LSZH Yellow 5m	5	OS1	ST

☎ = Sur fabrication, 📦 = Sur stock